

Php generics

```

cls    class ${ClassName} { function $__construct()
      { ${selection}${cursor} } }

fnc    function ${functionName}($${param}) { ${selection}${cursor} }

iface  interface ${InterfaceName} { ${cursor} }

ifnc   public function ${functionName}($${param});

pcon   parent::__construct(); ${cursor}

thr    throw new ${Exception};

tryc   try { ${selection}${cursor} } catch ( ${Exception}
      $${exc} ) { echo $${exc} editable=false->getTraceAsString(); }

vdoc   / @var $${VARIABLE variableFromNextAssignmentName default="variable"}
      $[VAR_TYPE variableFromNextAssignmentNameType default="ClassName"] /
  
```

Php statements

```

do     do { ${selection}${cursor} } while ( ${CONDITION variableFromPreviousAssignment
      instanceof="boolean" default="true"} );

elif   elseif ( ${CONDITION variableFromPreviousAssignment instanceof="boolean" default="true"} ) {
      ${selection}${cursor} }

els    else { ${selection}${cursor} }

fore   foreach ( ${ARRAY variableFromPreviousAssignment instanceof="array" default="$array"}
      as $${value} ) { ${selection}${cursor} }

if     if ( ${CONDITION variableFromPreviousAssignment instanceof="boolean" default="true"} ) {
      ${selection}${cursor} }

inst   if ( ${VARIABLE variableFromPreviousAssignment default="$variable"} instanceof ( ${ClassName} ) ) {
      ${selection}${cursor} }

itdir  $${DIRH newVarName default="dirh"} = opendir( ${dirname} ); if ( $${DIRH} editable=false ) {
      while ( ( $${DIR_ELEMENT newVarName default="dirElement"} = readdir( ${DIRH} editable=false ) ) != false ) {
        ${selection}${cursor} }
      closedir( $${DIRH} editable=false ); }

iter   for ( $${IDX newVarName default="index"} = 0; $${IDX} editable=false < count( ${ARRAY variableFromPreviousAssignment
      instanceof="array" default="$array"} ); $${IDX} editable=false++ ) { ${selection}${cursor} }

swi    switch ( ${VARIABLE variableFromPreviousAssignment default="$variable"} ) { case
      $${value}: ${selection}${cursor} break; default: break; }

while  while ( ${CONDITION variableFromPreviousAssignment instanceof="boolean" default="true"} ) {
      ${selection}${cursor} }
  
```

Php print data

```

eco    echo( "${message}" ); ${cursor}

pr     print ${VARIABLE variableFromPreviousAssignment default="$variable"}; ${cursor}

prln   print ${VARIABLE variableFromPreviousAssignment default="$variable"} . "\n"; ${cursor}

prs    print "${cursor}";

prv    print "\${VARIABLE variableFromPreviousAssignment default="$variable"} = ". ${VARIABLE
      editable=false} . "\n"; ${cursor}
  
```

Cheatographer



hoplayann (hoplayann)
cheatography.com/hoplayann/
www.tremani.nl

Cheat Sheet

This cheat sheet was published on 11th February, 2013 and was last updated on 11th February, 2013.

Sponsor

FeedbackFair, increase your conversion rate today!
 Try it free!
<http://www.FeedbackFair.com>